

HENRY

Hydraulic Engineering Repository

Ein Service der Bundesanstalt für Wasserbau

Conference Paper, Published Version

Claude, Nicolas; Antoine, Germain; Yassine, Rabab; Verschoren, Veerle; Schwarz, Christian; Temmerman, Stijn; Jourdain, Camille

Numerical simulations of flow around vegetation with Telemac2D: application on laboratory experiments and on the Isère river (France)

Zur Verfügung gestellt in Kooperation mit/Provided in Cooperation with:
TELEMAC-MASCARET Core Group

Verfügbar unter/Available at: <https://hdl.handle.net/20.500.11970/104335>

Vorgeschlagene Zitierweise/Suggested citation:

Claude, Nicolas; Antoine, Germain; Yassine, Rabab; Verschoren, Veerle; Schwarz, Christian; Temmerman, Stijn; Jourdain, Camille (2015): Numerical simulations of flow around vegetation with Telemac2D: application on laboratory experiments and on the Isère river (France). In: Moulinec, Charles; Emerson, David (Hg.): Proceedings of the XXII TELEMAC-MASCARET Technical User Conference October 15-16, 2034. Warrington: STFC Daresbury Laboratory. S. 206-207.

Standardnutzungsbedingungen/Terms of Use:

Die Dokumente in HENRY stehen unter der Creative Commons Lizenz CC BY 4.0, sofern keine abweichenden Nutzungsbedingungen getroffen wurden. Damit ist sowohl die kommerzielle Nutzung als auch das Teilen, die Weiterbearbeitung und Speicherung erlaubt. Das Verwenden und das Bearbeiten stehen unter der Bedingung der Namensnennung. Im Einzelfall kann eine restriktivere Lizenz gelten; dann gelten abweichend von den obigen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Documents in HENRY are made available under the Creative Commons License CC BY 4.0, if no other license is applicable. Under CC BY 4.0 commercial use and sharing, remixing, transforming, and building upon the material of the work is permitted. In some cases a different, more restrictive license may apply; if applicable the terms of the restrictive license will be binding.



Numerical simulations of flow around vegetation with Telemac2D: application on laboratory experiments and on the Isère river (France)

Nicolas Claude^{1,2}, Germain Antoine^{1,2}, Rabab Yassine¹, Veerle Verschoren³, Christian Schwarz³, Stijn Temmerman³, Camille Jourdain⁴

¹ EDF R&D Laboratoire National d'Hydraulique et Environnement (LNHE), 78400 Chatou, France.

² Université Paris-Est, Laboratoire d'hydraulique Saint Venant, ENPC, EDF R&D, CEREMA, 78400 Chatou, France.

³ University of Antwerp, Universiteitsplein 1, 2610 Antwerp, Belgium

⁴ Laboratoire d'étude des Transferts en Hydrologie et Environnement (LTHE), Université de Grenoble, France

Corresponding author: nicolas-n.claude@edf.fr

Proposed session: *Water quality, ecology and environmental impact*

Keywords: Telemac2D, hydrodynamic, vegetation

Speaker: Nicolas Claude

Abstract:

Vegetation is a common feature of rivers. In these systems, the plants can significantly affect hydrodynamics and sediment transport. Indeed, vegetation deflects (blocking effect) and reduces (roughness effect) the flows, decreases the sediment transport capacity, and causes the deposition of particles within the plants. Vegetation also influences the morphological evolution of streams by controlling bank erosion, encouraging aggradation of alluvial bars and secondary channels, and by contributing to floodplain development. Thus, it is necessary to take into account the processes associated with vegetation in the numerical codes for fluvial environments.

In hydrodynamic numerical models, the effect of the vegetation is represented either by increasing the bed roughness or by adding a drag force. In this study, we propose to compare these two approaches with Telemac2D. More specifically, the ability of the friction laws of Baptist *et al.* (2007), and the drag force method to reproduce the flow velocities around vegetation patches was explored for emergent and submerged conditions, and for rigid and flexible plants. The friction law of Lindner (1982) was also evaluated for rigid emergent vegetation. For this purpose, the laboratory experiments of Pasche and Rouve (1985), Zong and Nepf (2012) and Bouma *et al.* (2013) were numerically simulated. A vegetated bar of the Isère river (France) was also modelled.

Preliminary results show that the friction law of Baptist and the drag force method give very similar results on the selected test cases. These methods enable to estimate correctly the flow velocities for emergent and submerged rigid plants (Figure 1). The results obtained with the friction law of Lindner (only dedicated to emergent rigid plants) are less satisfying. The vortices associated to the presence of vegetation are reproduced by the three tested methods. The flow velocity field around a flexible vegetation is estimated with a lower accuracy. This result indicates that further developments are required to incorporate the effects of the reconfiguration of flexible vegetation in the models.




Figure 1: Longitudinal evolution of flow velocity around a circular patch of rigid emergent cylinders. The patch is located between the abscissas 0 and 0.2. The circular dots correspond to the measurements. The blue line corresponds to flow velocities estimated with the drag force method. The green line corresponds to flow velocities estimated with the friction law of Lindner.

References:

- Baptist, M., V. Babovic, J. Rodríguez Uthurburu, M. Keijzer, R. Uittenbogaard, A. Mynett, and A. Verwey (2007), On inducing equations for vegetation resistance, *Journal of Hydraulic Research*, 45(4), 435-450.
- Bouma, T.J., S. Temmerman, L.A. van Duren, E. Martini, W. Vandenbruwaene, D.P. Callaghan, T. Balke, G. Biermans, P.C. Klaassen, P. van Steeg, F. Dekker, J. van de Koppel, M.B. de Vries, P.M.J. Herman (2013), Organism traits determine the strength of scale-dependent biogeomorphic feedbacks: A flume study on three intertidal plant species, *Geomorphology*, 180-181, 57-65.
- Lindner, K. (1982) Der Strömungswiderstand von Pflanzenbeständen. Mitteilungen 75. Leichtweiss-Institut für Wasserbau, Technische Universität Braunschweig.
- Pasche, E., and G. Rouve (1985), Overbank flow with vegetatively roughened flood plains, *Journal of Hydraulic Engineering*, 111(9), 1262-1278.
- Zong, L., and H. Nepf (2012), Vortex development behind a finite porous obstruction in a channel, *Journal of Fluid Mechanics*, 691, 368-391.